



CONSTRUCTION

Road Rehabilitation • Road King™





BUZZ

the

ROAD


Be in complete command of your road rehabilitation needs with our Road King™ tool series — combining superior holder protection and easy penetration to drive maximum machine performance.




kennametal.com

Road King™


Road Rehabilitation Conicals for Cutting






■ Road King™ • RK3-01

order number	catalog number
6080814	RK3-01



■ Road King • RK3-02

order number	catalog number
6080817	RK3-02




■ Road King • RK3-03

order number	catalog number
6080820	RK3-03

■ Packaging Information


order number	catalog number	container type	pieces per container	container weight (approximate)		containers per pallet	pieces per pallet	pallet weight (approximate)	
				kg	lbs			kg	lbs
6080814	RK3-01	box	50	15	33	60	3000	900	1980
6080817	RK3-02	box	50	15,5	34	60	3000	930	2040
6080820	RK3-03	box	50	16	35.5	60	3000	960	2130

Dimensions shown in (millimeters) and inches.




■ Road King™ • RK4-01

order number	catalog number
6080818	RK4-01



■ Road King • RK4-03

order number	catalog number
6080816	RK4-03




■ Road King • RK5-01

order number	catalog number
6080819	RK5-01

■ Packaging Information

order number	catalog number	container type	pieces per container	container weight (approximate)		containers per pallet	pieces per pallet	pallet weight (approximate)	
				kg	lbs			kg	lbs
6080818	RK4-01	box	50	16,5	36.5	60	3000	990	2190
6080816	RK4-03	box	50	16	35.5	60	3000	960	2130
6080819	RK5-01	box	50	17	37.5	60	3000	1020	2250

Dimensions shown in (millimeters) and inches.



■ Road King™ • RK5-04

order number	catalog number
6227535	RK5-04


■ Packaging Information


order number	catalog number	container type	pieces per container	container weight (approximate)		containers per pallet	pieces per pallet	pallet weight (approximate)	
				kg	lbs			kg	lbs
6227535	RK5-04	box	50	16	35.5	60	3000	960	2130

Dimensions shown in (millimeters) and inches.


Road King™

Road Rehabilitation Conicals for Cutting





Road King™ • RK1-01P

order number	catalog number
6299498	RK1-01P


Road King • RK2-01P

order number	catalog number
6299499	RK2-01P



Road King • RK2-02P

order number	catalog number
6299500	RK2-02P

Packaging Information


order number	catalog number	container type	pieces per container	container weight (approximate)		containers per pallet	pieces per pallet	pallet weight (approximate)	
				kg	lbs			kg	lbs
6299498	RK1-01P	box	50	15,9	35.1	60	3000	954	2104
6299499	RK2-01P	box	50	15,9	35.1	60	3000	954	2104
6299500	RK2-02P	box	50	16,1	35.5	60	3000	966	2130

Dimensions shown in (millimeters) and inches.




■ Road King™ • RK2-03P

order number	catalog number
6299541	RK2-03P



■ Road King • RK3-01P

order number	catalog number
6299542	RK3-01P




■ Road King • RK3-02P

order number	catalog number
6299543	RK3-02P


■ Packaging Information

order number	catalog number	container type	pieces per container	container weight (approximate)		containers per pallet	pieces per pallet	pallet weight (approximate)	
				kg	lbs			kg	lbs
6299541	RK2-03P	box	50	16,1	35,5	60	3000	966	2130
6299542	RK3-01P	box	50	16,3	35,8	60	3000	975	2150
6299543	RK3-02P	box	50	16,4	36,1	60	3000	981	2163


Dimensions shown in (millimeters) and inches.


Road King™ • RK4-02P

order number	catalog number
6299544	RK4-02P


Road King • RK4-03P

order number	catalog number
6299545	RK4-03P



Road King • RK5-04P

order number	catalog number
6299548	RK5-04P

Packaging Information


order number	catalog number	container type	pieces per container	container weight (approximate)		containers per pallet	pieces per pallet	pallet weight (approximate)	
				kg	lbs			kg	lbs
6299544	RK4-02P	box	50	16,6	36,5	60	3000	993	2190
6299545	RK4-03P	box	50	16,6	36,5	60	3000	993	2190
6299548	RK5-04P	box	50	16,8	37,0	60	3000	1008	2223

Dimensions shown in (millimeters) and inches.



■ Road King™ • RK1-PT

order number	catalog number
6299546	RK1-PT



■ Road King • RK3-PT

order number	catalog number
6299547	RK3-PT

■ Packaging Information

order number	catalog number	container type	pieces per container	container weight (approximate)		containers per pallet	pieces per pallet	pallet weight (approximate)	
				kg	lbs			kg	lbs
6299546	RK1-PT	box	50	15,9	35.1	60	3000	954	2104
6299547	RK3-PT	box	50	16,4	36.1	60	3000	981	2163

Dimensions shown in (millimeters) and inches.



KenCast™

Road Rehabilitation takes your tooling equipment through rough conditions

KenCast parts are unique because no one makes wear parts like Kennametal. These extremely durable wear-resistant parts are manufactured in our own foundry.

Your equipment runs in abrasive conditions. Protect your investment with Kennametal KenCast composite material. It combines the exceptional wear resistance of Kennametal cemented tungsten carbide with the toughness and practicality of air-hardened steel.

Use KenCast parts on:

Reclamation Equipment

- Pedestal protectors
- Side cleaner bars

Road Planing Equipment

- Kicker plates
- Drag shoes
- Quick-change block-base protectors

Trenching Equipment


- Base segment protection


KenCast Parts Are:

- Easier to apply and tougher than brazed-on solid carbide tiles.
- Longer lasting and easier to apply than hardfacing material.
- More wear resistant than standard or AR-type steels.
- Better at protecting the carbide particles than embedded weld overlays.

Stabilizer King


Road Rehabilitation Conicals for Cutting/Stabilizing






■ Stabilizer King • SK3-01

order number	catalog number
6080871	SK3-01



■ Stabilizer King • SK3-02

order number	catalog number
6080874	SK3-02




■ Stabilizer King • SK3-03

order number	catalog number
6080878	SK3-03

■ Packaging Information


order number	catalog number	container type	pieces per container	container weight (approximate)		containers per pallet	pieces per pallet	pallet weight (approximate)	
				kg	lbs			kg	lbs
6080871	SK3-01	box	40	15,6	34.4	60	2400	936	2064
6080874	SK3-02	box	40	15,6	34.8	60	2400	936	2088
6080878	SK3-03	box	40	16	35.2	60	2400	960	2112

Dimensions shown in (millimeters) and inches.




■ Stabilizer King • SK4-01

order number	catalog number
6080876	SK4-01



■ Stabilizer King • SK4-03

order number	catalog number
6080875	SK4-03




■ Stabilizer King • SK5-01

order number	catalog number
6080877	SK5-01

■ Packaging Information


order number	catalog number	container type	pieces per container	container weight (approximate)		containers per pallet	pieces per pallet	pallet weight (approximate)	
				kg	lbs			kg	lbs
6080876	SK4-01	box	40	16,4	35.6	60	2400	984	2136
6080875	SK4-03	box	40	16	35.2	60	2400	960	2112
6080877	SK5-01	box	40	16,4	35.6	60	2400	984	2136

Dimensions shown in (millimeters) and inches.



■ Stabilizer King • SK5-02

order number	catalog number
6080873	SK5-02



■ Stabilizer King • SK5-03

order number	catalog number
6080872	SK5-03


■ Packaging Information


order number	catalog number	container type	pieces per container	container weight (approximate)		containers per pallet	pieces per pallet	pallet weight (approximate)	
				kg	lbs			kg	lbs
6080873	SK5-02	box	40	16,4	36	60	2400	984	2160
6080872	SK5-03	box	40	16	35.2	60	2400	960	2112

Dimensions shown in (millimeters) and inches.

Attachment King


Road Rehabilitation Conicals for Cutting






■ Attachment King • AK2-01

order number	catalog number
6080879	AK2-01



■ Attachment King • AK3-01

order number	catalog number
6080891	AK3-01




■ Attachment King • AK3-02

order number	catalog number
6080880	AK3-02

■ Packaging Information

order number	catalog number	container type	pieces per container	container weight (approximate)		containers per pallet	pieces per pallet	pallet weight (approximate)	
				kg	lbs			kg	lbs
6080879	AK2-01	box	25	14,5	32	60	1500	870	1920
6080891	AK3-01	box	25	14,75	32.3	60	1500	885	1935
6080880	AK3-02	box	25	14,5	32	60	1500	870	1920

Dimensions shown in (millimeters) and inches.



■ Attachment King • AK4-03

order number	catalog number
6080892	AK4-03

■ Packaging Information

order number	catalog number	container type	pieces per container	container weight (approximate)		containers per pallet	pieces per pallet	pallet weight (approximate)	
				kg	lbs			kg	lbs
6080892	AK4-03	box	25	14,75	32.3	60	1500	885	1935

Dimensions shown in (millimeters) and inches.

Road Rehabilitation Icons

 <p>Pressed Contact</p>	 <p>Cutting Conditions: Abrasive</p>	 <p>Cutting Conditions: Concrete</p>
 <p>Cutting Conditions: Light</p>	 <p>Cutting Conditions: Medium</p>	 <p>Cutting Conditions: Heavy</p>
 <p>Cutting Conditions: Severe</p>	 <p>Noise Reduction</p>	 <p>X Treatment</p>
 <p>Insert Type: Plug</p>	 <p>Insert Type: Valve Seat</p>	 <p>Insert Type: Cap</p>
 <p>Fuel Efficiency</p>	 <p>Low Horsepower: <100HP</p>	 <p>Medium Horsepower: 100–300HP</p>
 <p>High Horsepower: 300–1000HP</p>	 <p>Tool with Puller Groove</p>	





The foundation for a successful road rehabilitation operation is built on rock-steady reliability and progress. Kennametal, the world's leading tooling and services provider, proudly introduces SOLID, our solution-focused platform that yields new levels of performance and productivity. SOLID-engineered tools deliver in the most challenging conditions. For unmatched quality, value, innovation, and application expertise, make Kennametal your SOLID choice.

**Argentina**

Tel: +54 11 4719 0700
Fax: +54 11 4719 6116

Australia/New Zealand

Tel: +61 7 3801 5844
Fax: +61 7 3801 5826
k-sydn.service@kennametal.com

Brazil/Latin America

Tel: +55 19 3936 9200
Fax: +55 19 3936 9201
bra.marketing@kennametal.com

Chile

Tel: +56 2 2641177
Fax: 001 888 442 4964

China

Tel: +86 400 650 1388
Fax: +86 10 8561 5263
k-cn-earthwork.service@kennametal.com

Germany/European Served Area

Tel: +49 6003 8277 498
Fax: +49 6003 8277 42 453
mcs-ag.service@kennametal.com

India

Tel: +91 800 22198444
Tel: +91 080 43281444
Fax: 91 80 2839 1300
bangalore.information@kennametal.com

Japan

Tel: +81 3 3820 2855
Fax: +81 3 3820 2800
k-jp.service@kennametal.com

Korea

Tel: +82 2 2109 6100
Fax: +82 2 2109 6981

Malaysia

Tel: +60 3 5569 9080
Fax: +60 3 5569 0080

Poland/Slovakia/Baltics

Tel: +48 61 665 6520
Fax: +48 61 665 6521
zory.orders@kennametal.com

South Africa/Sub Saharan Area

Tel: +27 11397 3540
Fax: +27 11397 3222

**Singapore/Vietnam/
Philippines/Indonesia**

Tel: +65 6265 9222
Fax: +65 6861 0922
k-sg.sales@kennametal.com

Thailand

Tel: +66 2642 3455
Fax: +66 2641 2736 8

United States/Canada/Mexico

Tel: 1 800 458 3608
Fax: 1 800 521 3319
mcs-na.service@kennametal.com

Kennametal, the stylized K, KenCast, and Road King are trademarks of Kennametal, Inc. and are used as such herein. The absence of a product, service name, or logo from this list does not constitute a waiver of Kennametal's trademark or other intellectual property rights concerning that name or logo.

©Copyright 2017 by Kennametal Inc., Latrobe, PA 15650. All rights reserved.

WORLD HEADQUARTERS

Kennametal Inc.

1600 Technology Way
Latrobe, PA 15650 USA

Tel: 1 800 446 7738 (United States and Canada)

ftmill.service@kennametal.com

EUROPEAN HEADQUARTERS

Kennametal Europe GmbH

Rheingoldstrasse 50

CH 8212 Neuhausen am Rheinfall

Switzerland

Tel: +41 52 6750 100

neuhausen.info@kennametal.com

ASIA-PACIFIC HEADQUARTERS

Kennametal Singapore Pte. Ltd.

3A International Business Park

Unit #01-02/03/05, ICON@IBP

Singapore 609935

Tel: +65 6265 9222

k-sg.sales@kennametal.com

INDIA HEADQUARTERS

Kennametal India Limited

CIN: L27109KA1964PLC001546

8/9th Mile, Tumkur Road

Bangalore - 560 073

Tel: +91 080 22198444 or +91 080 43281444

bangalore.information@kennametal.com



Kennametal Inc.
1600 Technology Way
Latrobe, PA 15650
USA

kennametal.com